## **Lighting Solutions**





# SCMA0401 Adaptive Dimmer

Simplifying the control of LED lamps

Designed and tested to meet the unique demands of mains dimmable LEDs, the SCMA0401 is the perfect solution for your energy saving lighting and control needs.

- Leading and trailing edge lamps
- 4 channels of 1 Amp or 2 channels of 2 Amps
- Flicker free
- No minimum load
- Smooth dimming
- Exceptionally quiet
- No dummy load required
- DALI to phase dimming

## Controlling LED Lamps - The Challenges

Compatibility challenges have never been so complex with such a vast spectrum of LED lamps available. Often it is difficult to ensure precisely what LED technology is being used from batch to batch as the Lighting industry continues its incredible pace of development.

The versatile SCMA0401 adaptive dimmer with patented technology, will significantly help with the demands of dimming such a vast array of lamps and characteristics.

#### **Channel Options and Ratings**

- 4 x 1 Amp or 2 x 2 Amp mains dimming
- Single phase, channels are phase independent
- Short circuit protection

#### Network Control Options

- iLight CAN network
- DALI IN (4 addresses)

### Inputs

- Configurable alarm input
- Volt free contact

### Test Buttons

- Individual channel control
- On/off, dim up/dim down



#### Adaptive Dimmer

- iLight Adapt<sup>™</sup> Trailing Edge Dimming
- Leading Edge Dimming
- Switching
- Set channel modes individually

#### Loads

- Capacitive & resistive
  (NOT inductive)
- No minimum load
- No de-rate for LEDs
- Ultra quiet dimming

#### Scaleable dimming curve

- Optimising usable dimming range
- Low end fine control



The SCMAO401 delivers advanced dimming control for outstanding visual experiences.

Optimal low level dimming performance for Hotels Rooms, Receptions, Restaurants, Casinos, Cinemas, Cafes & Bars, Public spaces, Circulation spaces and much more.





## Commercial

The SCMA0401 enables contemporary architectural pendant lighting to be controlled in harmony with established DALI commercial luminaires.

Ideal for Meeting Rooms, Board Rooms, Training Rooms, Breakout Spaces and Atriums.

### Residential

Flexibility and simplicity are key considerations when selecting a lighting control system. With such a wide range of LED lamps and luminaires to choose from, our patented iLight Adapt<sup>™</sup> technology automatically adapts to the lamp characteristics, with a scalable dimming curve per channel for accurate control.

Applications include, Private Apartments, Serviced Apartments, Private Residences and Smart Homes.



## End User, Consultant & Contractor Challenges

I NEED TO DIM MY LED LAMPS TO	DIMMERS CAN MAKE AN	MY CARBON FOOTPRINT IS
A VERY LOW ACCURATE LEVEL	ANNOYING BUZZING NOISE	EXTREMELY IMPORTANT TO ME
Levels can be set accurately subject	SCMA0401 operates	Load resistors are not required, as
to lamp characteristics	exceptionally quietly	there is no minimum load
I WANT TO UTILIZE THE FULL RANGE OF LIGHT FROM MY LAMPS Scalable dimming curves per channel for accurate control	LEADING EDGE DIMMERS HAVE A MINIMUM LOAD SCMAO401 has no minimum load	ARE MY LAMPS LEADING OR TRAILING EDGE? SCMA0401 controls both lamp types for maximum compatibility
HOW DO I CALCULATE HOW MANY	I HAVE A CHANDELIER WITH MANY	WILL THIS BATCH OF LAMPS
LAMPS I CAN HAVE ON A CIRCUIT?	LAMPS TO CONTROL	PERFORM THE SAME?
There is no need to de-rate.	Pair the channels together to get a	iLight Adapt™ patented technology
Spikes can be minimised	2A capability	for the best compatibility
I DON'T HAVE MUCH SPACE TO MOUNT THE DIMMERS SCMAO401 is a compact 9 module DIN rail device	I WANT TO UTILIZE MY EXISTING CABLING All you require is 2 core mains wiring	I WANT TO CHECK THE INSTALLATION BEFORE AN ENGINEER ATTENDS SITE Interactive test buttons allow individual circuits to be tested

#### **Contact Us** +44 (0)1923 495495

#### iLight

**O**LIGHT

A brand of Signify Usk House, Llantarmam Park Cwmbran, NP44 3HD, UK

© 2021 Signify Holding All Rights Reserved

SCMA0401 Rev 3 1121

enquiries@iLight.co.uk

#### www.iLight.co.uk



iLight is a registered trademark. All other trademarks are property of their respective owners.

Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions.